



Mini Review

Use of Nanoparticles in Water Treatment: A review

Dave Sushma^{1*} and Sharma Richa²

¹Vyas Institute of engineering and Technology, Jodhpur, INDIA

²S.S. Jain Subodh PG Autonomous College, Jaipur, INDIA

Available online at: www.isca.in, www.isca.me

Received 6th July 2015, revised 20th August 2015, accepted 11th September 2015

Abstract

A major role of water is for vitality for life on earth. Water is recognized as source of evolution from origin to degree of civilization. Since it is an essential resource its treatment becomes a necessity for day to day life. Several methods have been used for treatment of water so far some of which are very successful. In recent past development of silver and gold nanoparticles and their application in treatment of waste water is becoming a major area of research. It is mainly applicable to the removal of three major contaminants like pesticides, heavy metals and microorganisms. This article presents a mini review based on the application of nanoparticles for water and waste water treatment.

Keywords: Water treatment, silver nanoparticles, gold nanoparticles.

Introduction

Water is the largest part of essential substances for all existence on earth and a source of evolution of human civilization. Water is known as universal solvent and it easily dissolves other substances. During rain showers, surface water and flowing water various substances gases micro organisms are added into water which make it contaminated. The world running in 21st century is facing a major problem and a challenge as water contamination. Contaminated water contains unwanted substances and it adversely affects the quality and makes it unsuitable for use. Water resources become contaminated from various sources such as residential areas, commercial, industrial practices, agricultural practices etc. Parameters of wastewater vary widely and depend upon the source from which it is generated. Commonly they are pathogenic and non-pathogenic microorganisms, organic or inorganic. If waste water is disposed untreated these constituents create a great threat to living beings and the environment. A variety of physical, chemical and biological treatment processes are used for wastewater treatment. Nanotechnology has a great potential in enhancing water and wastewater treatment as it offers potential advantages like low cost, reuse and highly efficient in removing and recovering the pollutants.

Recently application of nanotechnology is increasing in water and wastewater treatment. Nanomaterials are typically defined as materials smaller than 100 nm in at least one dimension¹. At nano scale, materials possess some new size-dependent properties such as large surface to volume ratio, reactivity, rapid dissolution and adsorption which are different from the bulk material. These properties are used for treatment of water efficiently²⁻⁴ environment and sanitation⁵⁻⁶. A promising application of nanotechnology is in water purification⁷⁻⁹.

Various applications of different nanomaterials can be stated in various stages.

Methodology

Adsorption: Use of nanomaterials in treatment of waste water is applicable in various forms like catalytic, absorptive, catalytic membrane, bioactive nanoparticles, biomimetic membrane, polymeric and nanocomposite membrane, thin film composite etc. Various organic chemicals¹⁰ are absorbed more efficiently by using carbon nano tubes (CNT) than activated carbon. Organic compounds which have carboxylic, hydroxyl, amide functional groups also form hydrogen bond with the graphitic CNT surface which donates electrons¹¹. CNT have high adsorption competence for metal ions¹²⁻¹⁴ and therefore are a good alternative for activated carbon.

Nanoscale metal oxides like iron oxides like ferrous oxide, TiO₂, Al₂O₃ are effective, low cost adsorbents for heavy metals and radio nucleides¹⁵⁻¹⁷. Dendrimers [polymeric nanomaterials] are capable of removing both organics and heavy metals¹⁸. Nanoadsorbents are used as powder, beads or porous granules loaded with nanoadsorbents.

Nanomembranes: Membranes with nanofibres can remove micro-size particles from aqueous phase with a high elimination rate without considerable fouling¹⁹. Such membranes are used as pretreatment method used proceeding to ultrafiltration or reverse osmosis. Large number of studies on membrane nanotechnology has focused on creating multifunction membrane by adding nanomaterials into polymeric or inorganic membranes known as nanocomposite membranes. The addition of metal oxide nanoparticles including alumina²⁰, silica²¹, zeolite²² and TiO₂²³ to polymeric ultra filtration membranes has

been shown to amplified membrane surface hydrophilicity, water permeability, or fouling resistance. Antimicrobial nanomaterials such as nanosilver is doped or surface grafted on polymeric membranes to inhibit bacterial attachment and bio-film formation^{24,25} on the membrane surface. It also as inactivates viruses²⁶ and can reduce membrane bio-fouling. Development of Thin film Nanomaterial membrane mainly focuses on incorporating nanomaterials into the active layer of thin film composite [TFC] membranes via doping in the casting solutions or surface modification. The effect of nanoparticles on Membrane permeability and selectivity depends on the sort, dimension and quantity of nanoparticles added. Many biological inspired membranes are highly selective and permeable^{27,28}

Nanocatalysts: Due to high surface to volume ratio and shape dependent properties nanocatalytic substances like zero-valent metal, semiconductor materials and bimetallic nanoparticles are widely used in water treatment as they increase the catalytic activity at the surface. It enhances the reactivity and degradation of environmental contaminants such as organochlorine pesticides, halogenated herbicides azo dyes, polychlorinated biphenyls and nitro aromatics²⁹. The catalytic activity has been proved on laboratory scale for various contaminants. Reports are available which show that efficient for degradation of microbial contaminants in water and reusable particles³⁰ are silver nanocatalyst, N-doped TiO₂ and ZrO₂ nanoparticles.

Nanostructured catalytic membranes: Nanostructured catalytic membranes have more than a few advantages like they have homogeneous catalytic sites, require less contact time, multiple ordered reactions can occur and they can be easily scaled for commercial purpose. To inactivate microorganisms and decompose organic pollutants nanostructured TiO₂ membranes and films are used³¹. With the advancement in nanotechnology several novel nanostructured catalytic membranes has been synthesized. These have with increased foul resistance, higher selectivity and higher rate of decomposition. The techniques of synthesizing these nanoparticles include many approaches for developing their multi functionality³².

Bioactive nanoparticles: Silver nanoparticles can be biosynthesized extracellularly by bacteria *Bacillus cereus* which is having very high antibacterial potential. This strain was exposed to different concentrations of silver salt [AgNO₃] and studied with the help of various analytical instruments like High Resolution Transmission Electron Micrography [HRTEM], X-ray diffraction [XRD] and Energy Dispersive spectroscopy [EDS] Prakash et al.³³ found MgO nanoparticles and Cellulose acetate [CA] fibers embedded Ag nanoparticles effective against bacteria both positive and negative and spores as well. With the rapid increase in nanotechnology approaches for the detection of microbial pathogens is continually adding to the microbial and pathogen detection as well as in diagnostics.

Biomimetic membrane: Biomimetic membranes are

chemically stable, have high permeability and selectivity³⁴ and show a great degree of removing salts.

A brief summary is shown in table-1 describing application of nanotechnology in water treatment

Table-1
Application of Nanotechnology in water and waste water treatment

Type of Nanoparticle	Type of pollutants removed
Carbon nano tubes	Organic Contaminant
Nano Scale metal Oxide	Heavy metals Radionucleides
Nano catalyst	PCB, Azodyes, Pesticides etc
Nano Structured catalytic	Decomposition of organic pollutant inactivation of micro organisms
Bioactive nanoparticle	Removal of Bacteria, fungi
Biomimetic membranes	Removing Salts

Conclusion

Nanotechnology for water and wastewater treatment is increasing day by day. The exclusive properties of nanomaterials show great opportunities for water and wastewater treatment. All three categories viz. nanoadsorbents, nanotechnology enabled membranes, and nanophotocatalysts have commercial products although they have not been applied in large scale water or wastewater treatment. Several other water treatment nanotechnologies have made immense enhancement in recent past for handling water contamination problems and are going to make additional advancements in coming future. Nanotechnology based treatment has offered very effectual, competent, resilient and eco friendly approaches. These methods are more commercial, less tedious with very less waste generation than conventional bulk material based methods.

References

1. Lelieveld J., The Chemistry of the Future Nanotechnology, *Alliance for Chemical Science and Technologies in Europe* (2001)
2. Clounon Eustache G., Edoth Patrick A., Guedenon Patient, Deguenon Yvette, Sossou Bernard, Dougnon Victorien T., Loko Frederick and Boko Michel, Risks of Drinking water Contamination by chemical and Organic substances in the lakeside city of So Ava in Benin Republic, *Int. Res. J. Environmen Sci.*, **2(1)**, 49-57 (2013)
3. Mussa T., Abdulla A., Alwan A. and Salih D Ali F., Removal of Cadmium from Wastewater using low cost Natural Adsorbents, *Int. Res. J. Environment Sci.*,

- 4(6), 11-15 (2015)
4. Hasan Md., Mahmudul, Parvin Afroza, Chowdhury Md., Alamgir Zaman, Hasanuzzaman Md., Hasan Md. Rakib and Ahmed Sohel, Qualitative and Quantitative Determination of the Residual Levels of Chemical Pesticides of the Shrimp Farms of Bangladesh, *Int. Res. J. Environment Sci.*, **4(6)**, 16-27 (2015)
 5. Nowack B., Pollution prevention n treatment using Nanotechnology, *In Environmental Aspects*, Edited by Harald Krug, Volume 2 WILEYVCH Verlag GmbH and Co. K Ga A, Weinheim, (2008)
 6. Zhuang J. and Gentry R.W., Environmental Application and Risks of Nanotechnology: A Balanced View Biotechnology and Nanotechnology Risk Assessment: Minding and Managing the Potential Threats around Us, *ACS Symposium Series*, **3**, 41-67 (2011)
 7. Khalil A., Gondal M.A. and Dastageer M.A., Augmented photocatalytic activity of palladium incorporated ZnO nanoparticles in the disinfection of Escherichia coli microorganism from water, *Applied Catalysis A: General*, **402(1-2)**, 162-167 (2011)
 8. Xiaolei Qu, P.J.J. and Alvarez, Q.n Li, Applications of nanotechnology in water and wastewater treatment, *water research*, **47**, 3931-3946 (2013)
 9. Herlekar Mihir and Barve Siddhivinayak, Calcination and Microwave Assisted Biological Synthesis of Iron Oxide Nanoparticles and Comparative Efficiency Studies for Domestic Wastewater Treatment, *Int. Res. J. Environment Sci.*, **4(6)**, 28-36 (2015)
 10. Prachil P., Gautam D. Madathil, Nair A.N.B., Nanotechnology in Waste Water Treatment: A Review, *International Journal of Chem Tech Research*, **5**, 2303-2308 (2013)
 11. Pan B., Xing B.S., Adsorption mechanisms of organic chemicals on carbon nanotubes, *Environmental Science and Technology*, **42**, 9005-9013 (2008)
 12. Yang K., Wu W.H., Jing Q.F. and Zhu L.Z., Aqueous adsorption of aniline, phenol, and their substitutes by multi-walled carbon nanotubes, *Environmental Science and Technology*, **42**, 7931-7936 (2008)
 13. G.P. Rao, C. Lu and F. Su, Sorption of divalent metal ions from aqueous solution by carbon nanotubes: A review, *Separation and Purification Technology*, **58(1)**, 224-231 (2007)
 14. Li Y.H., Ding J., Luan Z.K., Di Z.C., Zhu Y.F., Xu C.L., Wu D.H. and Wei B.Q., Competitive adsorption of Pb²⁺, Cu²⁺ and Cd²⁺ ions from aqueous solutions by multiwalled carbon nanotubes, *Carbon*, **41(14)**, 2787-2792 (2003)
 15. Lu C.S., Chiu H. and Liu C.T., Removal of zinc[II] from aqueous solution by purified carbon nanotubes: kinetics and equilibrium studies, *Industrial and Engineering Chemistry Research*, **45(8)**, 2850-2855 (2006)
 16. Deliyanni E.A., Bakoyannakis D.N., Zouboulis A.I. and Matis K.A., Sorption of As[V] ions by akaganeite-type nanocrystals, *Chemosphere*, **50(1)**, 155-163 (2003)
 17. Mayo J.T., Yavuz C., Yean S., Cong L., Shipley H., Yu W., Falkner J., Kan A., Tomson M. and Colvin V.L., The effect of nanocrystalline magnetite size on arsenic removal, *Science and Technology of Advanced Materials*, **8(1-2)**, (2007)
 18. Diallo M.S. Christie S., Swaminathan P., Johnson J.H. and Goddard W.A., Dendrimer enhanced ultrafiltration. I. Recovery of Cu[II] from aqueous solutions using PAMAM dendrimers with ethylenediamine core and terminal NH₂ groups, *Environmental Science and Technology*, **39(5)**, 1366-1377 (2005)
 19. Ramakrishna S., Fujihara K., Teo W.E., Yong T., Ma Z.W. and Ramaseshan R., Electrospun nano fibers: solving global issues, *Materials Today*, **9(3)**, 40-50 (2006)
 20. Maximous N., Nakhla G., Wong K. and Wan W., Optimization of Al₂O₃/PES membranes for wastewater filtration, *Separation and Purification Technology*, **73(2)**, 294-301 (2010)
 21. Bottino G., Capannelli V., D'Asti, Piaggio P., Preparation and properties of novel organic-inorganic porous membranes, *Separation and Purification Technology*, **22-23(1-3)**, 269-275 (2001)
 22. Pendergast M.M. and Hoek E.M.V., A review of water treatment membrane nanotechnologies, *Energy and Environmental Science*, **4(6)**, 1946-1971 (2011)
 23. Bae T.H. and Tak T.M., Effect of TiO₂ nanoparticles on fouling mitigation of ultrafiltration membranes for activated sludge filtration, *Journal of Membrane Science*, **249 (1-2)**, 1-8 (2005)
 24. Mauter M.S., Wang Y., Okemgbo K.C., Osuji C.O., Giannelis E.P. and Elimelech M., Antifouling ultrafiltration membranes via post-fabrication grafting of biocidal nanomaterials, *Applied Materials and Interfaces*, **3(8)**, 2861-2868 (2011)
 25. Zodrow K., Brunet L., Mahendra S., Li D., Zhang A., Li Q.L. and Alvarez P.J.J., Polysulfone ultrafiltration membranes impregnated with silver nanoparticles show improved biofouling resistance and virus removal, *Water Research*, **43(3)**, 715-723 (2009)
 26. De Gusseme B., Hennebel T., Christiaens E., Saveyn H., Verbeke K., Fitts J.P., Boon N. and Verstraete W., Virus disinfection in water by biogenic silver immobilized in polyvinylidene fluoride membranes, *Water Research*, **45(4)**, 1856-1864 (2011)
 27. Holt J.K., Park H.G., Wang Y.M., Stadermann M.,

- AArtyukhin .B., Grigoropoulos C.P., Noy A. and Bakajin O., Fast mass transport through sub-2-nanometer carbon nanotubes, *Science*, **312**, 1034-1037 (2006)
28. Hummer G., Rasaiah J.C. and Noworyta J.P., Water conduction through the hydrophobic channel of a carbon nanotube, *Nature*, **414(6860)**, 188-190 (2001)
29. Zhao X., Lv L., Pan B., Zhang W., Zhang S. and Zhang Q., Polymer-supported nanocomposites for environmental application: A review, *Chemical Engineering Journal*, **170(2-3)**, 381-394 (2011)
30. Chaturvedi S., Dave P.N. and Shah N.K., Applications of nano-catalyst in new era, *Journal of Saudi Chemical Society*, **16(3)**, 307-325 (2012)
31. Choi H., Al-Abed S.R. and Dionysiou D.D., Nanostructured Titanium Oxide Film and Membrane-Based Photocatalysis for Water Treatment, *Nanotechnology Applications for Clean Water*, 39-46 (2009)
32. Volodymyr Tarabara V., Multifunctional Nanomaterial-Enabled Membranes for Water Treatment, *Nanotechnology Applications for Clean Water*, 59-75 (2009)
33. Prakash S. Sharma N. Ahmad A. and Ghosh P. Sinha, Synthesis of Agnps By Bacilus Cereus Bacteria and Their Antimicrobial Potential, *Journal of Biomaterials and Nanobiotechnology*, **2(2)**, 15-161 (2011)
34. Yair Kaufman and Viatcheslav Freger, Supported Biomimetic Membranes for Pressure- Driven Water Purification, On Biomimetics, Dr. Lilyana Pramatarova (Ed.), (2011), In Tech, Available from: <http://www.intechopen.com/books/on-biomimetics/supported-biomimetic-membranes-for-pressure-drivenwater-purification>, (2011)